

Indiana State Police Clandestine Laboratory Occurrence Report

This form complies with the statutory requirement set forth in IC 5-2-15-3.

Date: 15 April 2014
Incident #: 14ISPC003136
County: Johnson

Street: CR 700 E Near CR 775 S
Apt, Lot, Room #:
City: Edinburgh

Type of Laboratory Seizure (check one)

- ☒ Lab Seizure
☐ Chemical Seizure
☐ Equipment Seizure
☐ Dumpsite Seizure

Seizure Location (check all that apply)

- ☐ Residence ☐ Hotel/Motel
☐ Outbuilding ☒ Open – No Structure
☐ Vehicle ☐ Business
☐ Other: _____

Apt., hotel, multi-family dwelling: Shared HVAC: ☐ Yes ☒ No ☐ Unknown

Items Found: Location (bedroom, kitchen, open air, etc) (check all that apply)

- ☒ One Pot or Birch Reaction(s): open Air
☐ Red Phosphorous/Iodine Reaction(s): _____
☒ Hydrochloric Acid Gas Generator(s): open air
☒ Flammable Solvents: Open air
☒ Water Reactive Metal (Lithium): Open air
☐ Anhydrous Ammonia: _____
☐ Corrosive Acid: _____
☐ Corrosive Base: _____
☐ Ammonium Nitrate/Sulfate: _____
☐ Other (item and location): _____

Child under age 18 discovered (check appropriate)

- ☐ Yes _____ (number present)
☒ No
☐ Children not present but evidence they reside or visit often

Living conditions of home: ☐ clean ☐ disarray
☐ unclean
Estimated length of time manufacturing had been occurring: _____
Additional Information: _____

Vehicle, Travel Trailer, RV or Watercraft Information:

Owner: _____
VIN: _____
Year: _____

Make: _____
Model: _____
Color: _____

This report has been faxed* or emailed to the following agencies that serve the location:

Fire Department: Edinburgh Fire Fax: 812-526-3536
Health Department County: Johnson Co Fax: (317) 736-5264
Department of Child Services Hotline: dcshotlinereports@dcs.in.gov Fax: 317-234-7595 or 317-234-7596

For further information regarding this methamphetamine laboratory, contact
Investigating Officer: Tom Egler Phone 317-234-4591

*This form is to be faxed to the Fire Department, Health Department and/or Department of Child Services listed within 24 hours of scene processing.